

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	965	(713/168).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 20:26
L2	729	(713/168).ccls. and request\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 20:26
L5	8	checking with file with transferred with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:17
L7	4	checking with application with transferred and encryp\$ and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 20:34
L8	1	checking with destination with trusted with receive with application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 20:35
L9	1	checking with destination with trusted with receive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 20:35
L10	5	checking with trusted with receive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 20:36
L11	44	checking with trusted with receiv\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 20:36
L12	37	checking with trusted with receiv\$ and encrypt\$ and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 20:36

L13	1	ep-1057097-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:27
L14	965	(713/168).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:27
L15	19	trusted with encrypt\$ with key with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:36
L16	960	trusted with application and operating with system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:36
L17	293	trusted with application and operating with system and secret with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:36
L18	592	trusted with agent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:37
L19	49	17 and 18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:39
L20	3	user with migrateable and third with party with migrateable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:40
L21	1502	user with control and third with party with control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:40
L22	24	user with control with password and third with party with control with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:43

L23	0	user with control with password with key and third with party with control with password with keyh	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:43
L24	0	user with control with password with key and third with party with control with password with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:44
L25	398	decryption with key with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:44
L26	35	decryption with key with password and trusted with application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:44
L27	4	decryption with key with password and trusted with application and user with password with encrypt\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:52
L28	256	(authentication with destination with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:52
L29	46	(authentication with destination with request) and trusted	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:55
L33	12	(determine with authent\$ with user with third with party)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:57

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	965	(713/168).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 20:26
L2	729	(713/168).ccls. and request\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 20:26
L5	8	checking with file with transferred with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:17
L7	4	checking with application with transferred and encryp\$ and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 20:34
L8	1	checking with destination with trusted with receive with application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 20:35
L9	1	checking with destination with trusted with receive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 20:35
L10	5	checking with trusted with receive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 20:36
L11	44	checking with trusted with receiv\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 20:36
L12	37	checking with trusted with receiv\$ and encrypt\$ and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 20:36

L13	1	ep-1057097-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:27
L14	965	(713/168).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:27
L15	19	trusted with encrypt\$ with key with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:36
L16	960	trusted with application and operating with system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:36
L17	293	trusted with application and operating with system and secret with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:36
L18	592	trusted with agent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:37
L19	49	17 and 18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:39
L20	3	user with migrateable and third with party with migrateable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:40
L21	1502	user with control and third with party with control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:40
L22	24	user with control with password and third with party with control with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:43

L23	0	user with control with password with key and third with party with control with password with keyh	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:43
L24	0	user with control with password with key and third with party with control with password with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:44
L25	398	decryption with key with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:44
L26	35	decryption with key with password and trusted with application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:44
L27	4	decryption with key with password and trusted with application and user with password with encrypt\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:52
L28	256	(authentication with destination with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:52
L29	46	(authentication with destination with request) and trusted	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:55
L33	12	(determine with authent\$ with user with third with party)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:57

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	965	(713/168).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 20:26
L2	729	(713/168).ccls. and request\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 20:26
L5	8	checking with file with transferred with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:17
L7	4	checking with application with transferred and encryp\$ and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 20:34
L8	1	checking with destination with trusted with receive with application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 20:35
L9	1	checking with destination with trusted with receive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 20:35
L10	5	checking with trusted with receive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 20:36
L11	44	checking with trusted with receiv\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 20:36
L12	37	checking with trusted with receiv\$ and encrypt\$ and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 20:36

L13	1	ep-1057097-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:27
L14	965	(713/168).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:27
L15	19	trusted with encrypt\$ with key with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:36
L16	960	trusted with application and operating with system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:36
L17	293	trusted with application and operating with system and secret with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:36
L18	592	trusted with agent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:37
L19	49	17 and 18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:39
L20	3	user with migrateable and third with party with migrateable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:40
L21	1502	user with control and third with party with control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:40
L22	24	user with control with password and third with party with control with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:43



L23	0	user with control with password with key and third with party with control with password with keyh	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:43
L24	0	user with control with password with key and third with party with control with password with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:44
L25	398	decryption with key with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:44
L26	35	decryption with key with password and trusted with application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:44
L27	4	decryption with key with password and trusted with application and user with password with encrypt\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:52
L28	256	(authentication with destination with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:52
L29	46	(authentication with destination with request) and trusted	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:55
L33	12	(determine with authent\$ with user with third with party)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 21:57